

# Contents

- List of Figures ..... **xiii**
- List of Tables ..... **xvii**
- Foreword ..... **xxvii**
- Preface ..... **xxix**
- Acknowledgments ..... **xxx**

## Section I. Introduction and Concepts

- 1. Introduction ..... 1**
  - 1.1 Point-to-Point Topology ..... 4
  - 1.2 Arbitrated Loop Topology ..... 5
  - 1.3 Switched Fabric Topology ..... 7
  - 1.4 Fabric-Attached Public Arbitrated Loop ..... 10
  - 1.5 Switches and Directors ..... 10
  - 1.6 Topology Summary ..... 11
  - 1.7 Fibre Channel Services ..... 11
  - 1.8 Zoning ..... 13
  - 1.9 Fibre Channel Gateways ..... 18
  - 1.10 Chapter Summary ..... 20
- 2. Switched Fabric Concepts ..... 23**
  - 2.1 Fibre Channel Switches ..... 23
  - 2.2 Fibre Channel Fabrics ..... 23
  - 2.3 Fibre Channel WAN Bridges ..... 25
  - 2.4 Class of Service Behavior ..... 26
  - 2.5 Fibre Channel Port Types ..... 32
  - 2.6 Frame Routing ..... 35
  - 2.7 Frame Delivery Order ..... 36
  - 2.8 Chapter Summary ..... 40
- 3. Fibre Channel Addresses ..... 43**
  - 3.1 Address Space Partitioning ..... 43
  - 3.2 Node Port Address Acquisition ..... 47
  - 3.3 N\_Port ID Virtualization (NPIV) ..... 48
  - 3.4 Using the Address for Routing ..... 49
  - 3.5 Chapter Summary ..... 50

## Section II. Fabric Internals

- 4. Fabric Internal Concepts ..... 51**
  - 4.1 Exchange Link Parameters (ELP) ..... 52
  - 4.2 Inter-Switch Flow Control ..... 52
  - 4.3 Exchange Switch Capabilities (ESC) ..... 52

4.4	Principal Switch Selection .....	53
4.5	Domain_ID Assignment .....	53
4.6	Build Routing Tables .....	54
4.7	Path Selection .....	54
4.8	Switching Construct Designs .....	55
4.9	Distributed Services Model .....	55
4.10	Chapter Summary .....	56
<b>5.</b>	<b>Flooding .....</b>	<b>57</b>
5.1	How Does Flooding Work? .....	57
5.2	Flooding Completion .....	57
5.3	Operations That Use Flooding .....	58
5.4	Flooding and Addressing .....	58
5.5	Chapter Summary .....	59
<b>6.</b>	<b>Interswitch Link (ISL) Initialization .....</b>	<b>61</b>
6.1	Port Operating Mode Determination .....	61
6.2	Port Initialization - Virtual Fabric Extensions .....	75
6.3	ISL Flow Control and Congestion Control .....	77
6.4	Exchange Link Parameters (ELP) Sample Trace .....	81
6.5	Chapter Summary .....	83
<b>7.</b>	<b>Principal Switch Selection .....</b>	<b>85</b>
7.1	Principal Switch and the Fabric_Name .....	85
7.2	Fabric Parameters .....	85
7.3	Initial Exchange of Fabric Parameters .....	86
7.4	Initiating Principal Switch Selection .....	88
7.5	Exchange Fabric Parameters .....	88
7.6	Principal Upstream and Downstream ISLs .....	93
7.7	Chapter Summary .....	95
<b>8.</b>	<b>Domain_ID Assignment .....</b>	<b>97</b>
8.1	Principal Switch Domain_ID .....	97
8.2	Requesting Domain_IDs .....	99
8.3	Chapter Summary .....	103
<b>9.</b>	<b>FSPF Routing Protocol .....</b>	<b>105</b>
9.1	FSPF Protocol Overview .....	106
9.2	FSPF Header .....	108
9.3	The Hello Protocol .....	109
9.4	Link State Records (LSR) .....	113
9.5	Link Descriptors .....	115
9.6	Initial Topology Database Synchronization .....	117
9.7	Topology Database Maintenance .....	117
9.8	Link State Update (LSU) Trace .....	121
9.9	Chapter Summary .....	124
<b>10.</b>	<b>Path Selection .....</b>	<b>127</b>
10.1	Least-Cost Path Computation .....	127
10.2	Path Computation Examples .....	128

10.3	Routing Loops	132
10.4	Multiple Least-Cost Paths	134
10.5	Path Selection and Frame Delivery Order	137
10.6	Path Failover and Rerouting Delay	138
10.7	Trunking	138
10.8	Chapter Summary	141
<b>11.</b>	<b>Switching</b>	<b>143</b>
11.1	Switching Construct Characteristics	143
11.2	Crossbar Switching	147
11.3	Multi-Ported Memory	150
11.4	Bus-Based Switching	153
11.5	Chapter Summary	155
<b>12.</b>	<b>Broadcast</b>	<b>157</b>
12.1	Broadcast Spanning Tree	157
12.2	Broadcast Zoning	158
12.3	Chapter Summary	159
<b>13.</b>	<b>Distributed Services</b>	<b>161</b>
13.1	External Server Model	162
13.2	Integrated Services	162
13.3	Distributed Server Model	163
13.4	Distributed SW_ILS Operations	167
13.5	Chapter Summary	168
<b>14.</b>	<b>Zoning</b>	<b>169</b>
14.1	Basic Zoning: Concepts and Structure	169
14.2	Enhanced Zoning: Concepts and Structure	171
14.3	FC-SP Zoning: Concepts and Structure	173
14.4	Hard Zoning and Soft Zoning	174
14.5	What is Subject to Zoning?	175
14.6	Special Zones	175
14.7	Merging Zones	176
14.8	Maintaining Zoning Data Consistency	180
14.9	Chapter Summary	181
<b>15.</b>	<b>Virtualization and Fabric-Based Applications</b>	<b>183</b>
15.1	Storage Virtualization	183
15.2	Volume Management	185
15.3	Fabric-Based RAID	186
15.4	Data Replication	186
15.5	Virtual Tape	187
15.6	LAN-Free and Serverless Backup	188
15.7	Fabric-Based Applications Standards	189
15.8	Chapter Summary	190
<b>16.</b>	<b>Virtual Fabrics</b>	<b>191</b>
16.1	Virtual Fabrics and Shared ISLs	193
16.2	Virtual Fabric Tagging Header	194

16.3	Logical Model of Virtual Fabric Capable Switch .....	197
16.4	Virtual Fabrics vs. Zoning .....	201
16.5	Chapter Summary .....	202
<b>17.</b>	<b>Security .....</b>	<b>203</b>
17.1	Authentication .....	204
17.2	Cryptographic Integrity and Confidentiality .....	210
17.3	Authorization .....	212
17.4	Authentication (AUTH) Link Services .....	222
17.5	Chapter Summary .....	230
<b>18.</b>	<b>Inter-Fabric Routing .....</b>	<b>231</b>
18.1	Fibre Channel Routers .....	231
18.2	Fibre Channel Network Address Translation (FC-NAT) .....	232
18.3	Hop-By-Hop Routing .....	234
18.4	Inter-Fabric Router Networks .....	235
18.5	Routing Through a “Transit” Fabric .....	239
18.6	Inter-Fabric Link Services (IFR_ILS) .....	240
18.7	Processing F_BSY and F_RJT Conditions .....	242
18.8	FC-NAT and Link Services .....	243
18.9	CRC Recomputation .....	244
18.10	Chapter Summary .....	245
<b>19.</b>	<b>Timers, Values and Error Conditions .....</b>	<b>247</b>
19.1	Errors on Class-n Frames .....	247
19.2	Class-F Frame Errors .....	248
19.3	Fabric-Related Timers .....	249
19.4	FSPF-Related Timers and Constants .....	250
19.5	Chapter Summary .....	251
<b>Section III. Fibre Channel Services</b>		
<b>20.</b>	<b>Fibre Channel Services .....</b>	<b>253</b>
20.1	Fibre Channel Common Transport (FC-CT) Protocol .....	255
20.2	Fibre Channel Services Overview .....	255
20.3	Chapter Summary .....	259
<b>21.</b>	<b>FC Common Transport Protocol (FC-CT) .....</b>	<b>261</b>
21.1	FC-CT Protocol .....	262
21.2	FC-CT Basic Preamble .....	262
21.3	FC-CT Extended Preamble (Optional) .....	266
21.4	FC-CT Authentication (Optional) .....	267
21.5	FC-CT Errors .....	267
21.6	Server Session Management .....	268
21.7	Get More Information (GMI) .....	269
21.8	Chapter Summary .....	270
<b>22.</b>	<b>Locking and Commit Services .....</b>	<b>271</b>
22.1	Server Session Management .....	271
22.2	Enhanced Commit Services (ECS) .....	274

22.3	Chapter Summary .....	279
<b>23.</b>	<b>Common Entity Models .....</b>	<b>281</b>
23.1	Fabric Interconnect Elements .....	281
23.2	Platform (End Device) Attributes .....	287
23.3	Host Bus Adapter (HBA) Attributes .....	292
23.4	Node Attributes .....	293
23.5	Port Attributes .....	295
23.6	Fibre Channel Self-Description .....	304
23.7	Chapter Summary .....	308
<b>24.</b>	<b>Management Server .....</b>	<b>311</b>
24.1	Fabric Configuration Server .....	313
24.2	Unzoned Name Server .....	317
24.3	Fabric Zone Server .....	317
24.4	Security Policy Server .....	320
24.5	Fabric Device Management Interface (HBA Server) .....	321
24.6	Chapter Summary .....	323
<b>25.</b>	<b>Name Server .....</b>	<b>325</b>
25.1	Name Server .....	326
25.2	Changes to Name Server Standards .....	330
25.3	Name Server Trace Examples .....	331
25.4	Chapter Summary .....	333
<b>26.</b>	<b>Event Server .....</b>	<b>335</b>
26.1	Event Server Model .....	335
26.2	Event Registration (ER) Command .....	336
26.3	Event Notification (EN) Command .....	338
26.4	Chapter Summary .....	342
<b>Section IV. Fabric Deployment Considerations</b>		
<b>27.</b>	<b>Fabric Design .....</b>	<b>343</b>
27.1	Single-Switch Fabrics .....	343
27.2	Multi-Switch Fabrics .....	344
27.3	String or Daisy-Chain Configuration .....	345
27.4	Ring Configuration .....	347
27.5	Core-Edge or Hierarchical Tree Configuration .....	348
27.6	Fully Connected Mesh Configuration .....	350
27.7	Partially Connected Mesh Networks .....	351
27.8	Conclusion .....	352
27.9	Chapter Summary .....	353
<b>28.</b>	<b>High-Availability Fabrics .....</b>	<b>355</b>
28.1	Reliability: Improving Availability by Reducing Failures .....	355
28.2	Using Redundancy to Improve Availability .....	357
28.3	Serviceability and Concurrent Maintenance .....	361
28.4	Disaster Recovery Planning .....	362
28.5	Switch Design Considerations .....	363

28.6	Chapter Summary .....	364
<b>29.</b>	<b>Bridges and Gateways .....</b>	<b>365</b>
29.1	Dark Fiber .....	366
29.2	Fibre Channel Bridges .....	367
29.3	Generic Framing Protocol (GFP) .....	371
29.4	Fibre Channel over TCP/IP (FCIP) .....	373
29.5	Internet Fibre Channel Protocol (iFCP) .....	374
29.6	Frame Encapsulation .....	378
29.7	Fibre Channel to iSCSI Gateway .....	379
29.8	Chapter Summary .....	381
 <b>Section V. Command Reference</b>		
<b>30.</b>	<b>Switch Internal Link Services (SW_ILS) .....</b>	<b>383</b>
30.1	Switch Internal Link Service Accept (SW_ACC) .....	384
30.2	Exchange Link Parameters (ELP) .....	385
30.3	Exchange Fabric Parameters (EFP) .....	387
30.4	Domain Identifier Assigned (DIA) .....	388
30.5	Request Domain Identifier (RDI) .....	389
30.6	FSPF Hello (HLO) .....	390
30.7	FSPF Link State Update (LSU) .....	391
30.8	FSPF Link State Acknowledgment (LSA) .....	393
30.9	Build Fabric (BF) .....	394
30.10	Reconfigure Fabric (RCF) .....	394
30.11	Inter-Switch RSCN (SW_RSCN) .....	395
30.12	Distribute Registered Link Incident Records (DRLIR) .....	396
30.13	Disconnect Class-1 Connection (DSCN) .....	396
30.14	Merge Request (MR) .....	397
30.15	Acquire Change Authorization (ACA) .....	403
30.16	Release Change Authorization (RCA) .....	404
30.17	Stage Fabric Configuration Update (SFC) .....	405
30.18	Update Fabric Configuration (UFC) .....	410
30.19	Exchange B_Access Parameters (EBP) .....	411
30.20	Authentication Special Frame Request (ASF) .....	412
30.21	Check E_Port Connectivity (CEC) .....	413
30.22	Enhanced Acquire Change Authorization (EACA) .....	414
30.23	Enhanced Stage Fabric Configuration (ESFC) .....	415
30.24	Enhanced Update Fabric Configuration (EUFC) .....	416
30.25	Enhanced Release Change Authorization (ERCA) .....	417
30.26	Transfer Commit Ownership (TCO) .....	418
30.27	Exchange Switch Capabilities (ESC) .....	419
30.28	Exchange Switch Support (ESS) .....	420
30.29	Merge Request Resource Allocation (MRRA) .....	426
30.30	Switch Trace Route (STR) .....	427
30.31	Exchange Virtual Fabrics Parameters (EVFP) .....	430
30.32	Check Policy Summary (CPS) .....	433

30.33	Zoning Check Protocol (ZCP)	434
30.34	Switch Internal Link Service Reject (SW_RJT)	435
<b>31.</b>	<b>Name Server Commands</b>	<b>437</b>
31.1	Get All Next (GA_NXT)	439
31.2	Get Identifiers According to Scope (GID_A)	441
31.3	Get Port_Name (GPN_ID)	442
31.4	Get Node_Name (GNN_ID)	443
31.5	Get Class of Service (GCS_ID)	444
31.6	Get FC-4 Types (GFT_ID)	445
31.7	Get Symbolic Port Name (GSPN_ID)	446
31.8	Get Port Type (GPT_ID)	447
31.9	Get Fabric Port Name (GFPN_ID)	448
31.10	Get Hard Address (GHA_ID)	449
31.11	Get FC-4 Features (GFF_ID)	450
31.12	Get Port Identifier (GID_PN)	451
31.13	Get Port Identifiers (GID_NN)	452
31.14	Get Port_Names (GPN_NN)	453
31.15	Get Initial Process Associator (GIPA_NN)	454
31.16	Get Symbolic Node Name (GSNN_NN)	455
31.17	Get Port Identifiers (GID_FT)	456
31.18	Get Port_Names (GPN_FT)	457
31.19	Get Node_Names (GNN_FT)	458
31.20	Get Port Identifiers (GID_PT)	459
31.21	Get Port Identifiers (GID_FPN)	460
31.22	Get Permanent Port Name (GPPN_ID)	461
31.23	Get Port Identifiers (GID_FF)	462
31.24	Get Port Identifiers (GID_DP)	463
31.25	Register Node Name (RNN_ID)	464
31.26	Register Class of Service (RCS_ID)	465
31.27	Register FC-4 Types (RFT_ID)	466
31.28	Register Symbolic Port Name (RSPN_ID)	467
31.29	Register Hard Address (RHA_ID)	468
31.30	Register FC-4 Features (RFF_ID)	468
31.31	Register Initial Process Associator (RIPA_NN)	469
31.32	Register Symbolic Node Name (RSNN_NN)	470
31.33	Deregister All (DA_ID)	471
31.34	Get Entry, Based on Port Identifier (GE_ID)	472
31.35	Get Entry, Based on Port_Name (GE_PN)	473
31.36	Get Entries, Based on Node_Name (GE_NN)	474
31.37	Get Entries, Based on FC-4 Type (GE_FT)	475
31.38	Get Entries, Based on Port Type (GE_PT)	476
31.39	Get Entries, Based on Zone Member (GE_ZM)	477
31.40	Get Entries, Based on Zone Name (GE_ZN)	478
31.41	Get Entries, Based on FC-4 Features (GE_FF)	479
31.42	Get Entries, Based on Fabric Port_Name (GE_FPN)	480

31.43	Name Server FC-CT Rejects	481
31.44	Name Server FC-CT Reject Reason Code Explanations	482
<b>32.</b>	<b>Fabric Configuration Server Commands</b>	<b>483</b>
32.1	Get Topology Information (GTIN)	486
32.2	Get Interconnect Element List (GIEL)	487
32.3	Get Interconnect Element Type (GIET)	488
32.4	Get Interconnect Element Domain Identifier (GDID)	489
32.5	Get Interconnect Element Management Identifier (GMID)	490
32.6	Get Interconnect Element Fabric_Name (GFN)	491
32.7	Get Interconnect Element Logical Name (GIELN)	492
32.8	Get Interconnect Element Management Address List (GMAL)	493
32.9	Get Interconnect Element Information List (GIEIL)	494
32.10	Get Port List (GPL)	495
32.11	Get Port Type (GPT)	496
32.12	Get Physical Port Number (GPPN)	497
32.13	Get Attached Port Name List (GAPNL)	498
32.14	Get Port State (GPS)	499
32.15	Get Port Speed Capabilities (GPSC)	500
32.16	Get Attached Topology Information (GATIN)	501
32.17	Get Switch Enforcement Status (GSES)	502
32.18	Get Interconnect Element Attribute Group (GIEAG)	503
32.19	Get Platform Node Name List (GPLNL)	504
32.20	Get Platform Type (GPLT)	505
32.21	Get Platform Management Address List (GPLML)	506
32.22	Get Platform Name - Node Name (GNPL)	507
32.23	Get Platform Name List (GPNL)	508
32.24	Get Platform FCP Type (GPFCP)	509
32.25	Get Platform OS LUN Mappings (GPLI)	510
32.26	Get Node Identification Data (GNID)	511
32.27	Register Interconnect Element Logical Name (RIELN)	512
32.28	Register Platform (RPL)	512
32.29	Register Platform Node Name (RPLN)	513
32.30	Register Platform Type (RPLT)	513
32.31	Register Platform Management Address (RPLM)	514
32.32	Register Platform Attribute Block (RPAB)	514
32.33	Register Platform FCP Type (RPFCP)	515
32.34	Register Platform OS LUN Mappings (RPLI)	515
32.35	Deregister Platform (DPL)	516
32.36	Deregister Platform Node Name (DPLN)	516
32.37	Deregister Platform Management Address (DPLM)	517
32.38	Deregister Platform Management List (DPLML)	517
32.39	Deregister Platform OS LUN Mappings (DPLI)	518
32.40	Deregister Platform Attribute Block (DPAB)	518
32.41	Deregister All Platform Information (DPALL)	519
32.42	FC Trace Route (FTR)	520



32.43	FC Ping (FPNG)	522
32.44	Fabric Configuration Server FC-CT Rejects	523
<b>33.</b>	<b>Fabric Zone Server Commands</b>	<b>525</b>
33.1	Common Command Data Structures	526
33.2	Get Capabilities (GZC)	529
33.3	Get Enforcement State (GEST)	530
33.4	Get Zone Set List (GZSN)	531
33.5	Get Zone List (GZD)	532
33.6	Get Zone Member List (GZM)	533
33.7	Get Active Zone Set (GAZS)	534
33.8	Get Zone Set (GZS)	535
33.9	Get Activation Results (GAR)	536
33.10	Get Zone Attribute Object Name (GZA)	537
33.11	Get Zone Attribute Block (GZAB)	538
33.12	Get Zone Set List - Enhanced (GZSE)	539
33.13	Get Zone List - Enhanced (GZDE)	540
33.14	Get Zone Member List - Enhanced (GZME)	541
33.15	Get Zone Attribute Object List (GZAL)	542
33.16	Get Active Zone Set - Enhanced (GAZSE)	543
33.17	Get Alias List (GAL)	544
33.18	Get Alias Member List (GAM)	545
33.19	Get Fabric Enhanced Zoning Support (GFEZ)	546
33.20	Add Zone Set (ADZS)	547
33.21	Activate Zone Set Direct (AZSD)	548
33.22	Activate Zone Set (AZS)	549
33.23	Deactivate Zone Set (DZS)	549
33.24	Add Zone Members (AZM)	550
33.25	Add Zone (AZD)	550
33.26	Activate Zone Set Direct - Enhanced (AZSDE)	551
33.27	Activate Zone Set - Enhanced (AZSE)	552
33.28	Deactivate Zone Set - Enhanced (DZSE)	552
33.29	Create Zone Set (CZS)	553
33.30	Add Zones - Enhanced (AZ)	553
33.31	Add Zone Members - Enhanced (AZME)	554
33.32	Create Zone (CZ)	554
33.33	Create Zone Attribute Object (CZA)	555
33.34	Set Zone Attribute Object Name (SZA)	555
33.35	Set Zone Attribute Block (SZAB)	556
33.36	Create Alias (CA)	556
33.37	Add Alias Members (AAM)	557
33.38	Set Fabric Enhanced Zoning Support (SFEZ)	558
33.39	Remove Zone Members (RZM)	558
33.40	Remove Zone (RZD)	559
33.41	Remove Zone Set (RZS)	559
33.42	Remove Zones - Enhanced (RZ)	560

33.43	Remove Zone Members - Enhanced (RZME)	561
33.44	Remove Alias Members (RAM)	562
33.45	Delete Zone Set (DLZS)	562
33.46	Delete Zone (DLZ)	563
33.47	Delete Alias (DLA)	563
33.48	Delete Zone Attribute Object (DLZA)	564
33.49	Commit Zoning Changes (CMIT)	564
33.50	SP Commit Zone Changes (SPCMIT)	565
33.51	Fabric Zone Server Reject Reason Code Explanations	566
<b>34.</b>	<b>Security Policy Server Commands</b>	<b>567</b>
34.1	Get Policy Summary (GPS)	568
34.2	Activate Policy Summary (APS)	569
34.3	Deactivate Policy Summary (DPS)	570
34.4	Get Policy Object (GPO)	571
34.5	Get All Lists Names (GALN)	572
34.6	Get All Attribute Objects Names (GAAO)	573
34.7	Add Policy Object (APO)	574
34.8	Remove Policy Object (RPO)	575
34.9	Remove All Non-Active Policy Objects (RANA)	576
34.10	Get Policy Objects Support (GPOS)	577
34.11	Optional Data	578
34.12	Security Policy Server FC-CT Rejects	578
<b>35.</b>	<b>HBA Management Server Commands</b>	<b>579</b>
35.1	Get Registered HBA List (GRHL)	580
35.2	Get HBA Attributes (GHAT)	581
35.3	Get Registered Port List (GRPL)	582
35.4	Get Port Attributes (GPAT)	583
35.5	Register HBA (RHBA)	584
35.6	Register HBA Attributes (RHAT)	585
35.7	Register Port (RPRT)	586
35.8	Register Port Attributes (RPA)	587
35.9	Deregister HBA (DHBA)	588
35.10	Deregister HBA Attributes (DHAT)	588
35.11	Deregister Port (DPRT)	589
35.12	Deregister Port Attributes (DPA)	589
35.13	HBA Management Server FC-CT Rejects	590
<b>36.</b>	<b>Time Server</b>	<b>591</b>
36.1	Time Server Commands	592
	<b>Glossary</b>	<b>595</b>
	<b>Index</b>	<b>609</b>